

MODEL 523

ROLLING SECURITY SHUTTER



ATTRACTIVE SECURITY SHUTTER FOR AREAS WITH HIGH PEDESTRIAN TRAFFIC

Wayne Dalton's Model 523 has a compact design and comes pre-assembled for easy installation in areas with low headroom and sideroom requirements.

With a variety of options, the Model 523 is perfect for pharmacies, hospitals, offices, schools and other retail facilities.

- » STANDARD SIZES UP TO 20' WIDE AND 14' HIGH
- » SMOOTH AND QUIET OPERATION
- » MANUAL, CRANK OR MOTORIZED OPERATION
- » TIGHT WRAP DESIGN MINIMIZES HEADROOM REQUIREMENTS

MODEL 523

STANDARD FEATURES OVERVIEW

CONSTRUCTION

MOUNTING	Face-of-wall or between jambs
MAX HEIGHT	14' (4267 mm)
MAX WIDTH	20' (6096 mm)
MATERIAL	Aluminum
CURTAIN	Interlocking extruded aluminum slats constructed of .05" aluminum
BRACKETS	Steel plates powder coated to match curtain color
COUNTERBALANCE	Extruded aluminum barrel; housing spring assembly
HOOD	Aluminum square hood; powder coated to match curtain
BOTTOM BAR	Compact aluminum with vinyl bulb seal powder coated to match curtain
GUIDES	Extruded aluminum channels with continuous PVC wear strips. Powder coated to match curtain
LOCKING	Slide bolts; interior coiling side, both left and right
OPERATION	Manual push up
COLOR OPTIONS	Silver, Bronze, White or Almond powder coat

WARRANTY

TERMS	Two (2) year limited
--------------	----------------------

OPTIONS

- Perforation or fenestration; full-curtain or partial
- Interior crank or tube motor with crank for emergency egress manual override
- Approximately 200 RAL powder coat colors or custom color to match architect specifications
- Cylinder lock (if motor operated requires interlock microswitches)
- Padlockable slide bolts (padlock not included)
- Interlock microswitch
- Bottom bar step angle attachment
- Wood grain powder coat finishes in six patterns

The Model 523 provides security against forced entry or theft with slide bolts or cylinder locks available on manual or crank operation, while fitting in with the aesthetics of the facility.

The design allows for visibility and air flow with perforation and fenestration options, making it ideal for retail applications. This product offers both full-curtain and partial curtain fenestration and perforation options. Full-curtain perforation provides a 22% open area and the full-curtain fenestration provides 24% open area. The fenestration pattern features 1" x 1" uniformly spaced openings. Ideal applications are retail, pharmacies, office, hospitals, airports, counters, concessions, schools and sports facilities.

STYLISH DESIGN

With four standard powder coat colors and six wood grain powder coat finishes, the Model 523 is an attractive and versatile security solution. The silver and bronze powder coat finishes are color matched to reflect the same look as clear or bronze anodization. The benefits of powder coating over anodizing include more consistent coloring, easily matched replacement parts and shorter lead times. Designed to be compact, the Model 523 headroom and sideroom requirements are minimal and the pre-assembled door allows for easy installation.

DURABLE CONSTRUCTION, EASY

INSTALLATION

Made with extruded aluminum, the Model 523 curtain has interlocking slats constructed of .05" aluminum and comes pre-assembled for easy installation. The shutter is compact, with a 10' door coiling up into an 8" square hood. At 14' high, our tallest doors wrap into a 10" square hood. Adding to the tightly wrapped design is a compact aluminum bottom bar with a vinyl bulb seal.

ROLLING SECURITY SHUTTER

P
A
R
T
S



COLOR OPTIONS

Standard Powder Coat Finishes



White



Almond




Silver*



Bronze*

*Silver and bronze powder coat made to mimic anodized aluminum.

Approximately 200 RAL Powder Coat Finishes also available



Wood grain powder coat finish is also an option that adds more flexibility in matching the aesthetics of your building.



Natural Pine



Rustic Alder



Barrel Oak



Dark Barrel Oak



Light Maple



Winchester Cherry

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

MODEL 523

ROLLING SECURITY SHUTTER




SLAT STYLES

Standard slat




Perforated slat



Perforation pattern offers 22% open area

Fenestrated slat



1" x 1" fenestrations with uniform spacing. Offers 24% open area



Architect Resource Center

Go to wayne-dalton.com/commercial and click on the Architect Resource Center. Here you will quickly find all of the specifications, drawings and documents you need to complete your project.

Wayne Dalton
COMMERCIAL DOORS

DISTRIBUTED BY:

2501 S. State Hwy 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



© 2016 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1038 12/2016